

THREEBEAR -- IDAHO SOIL



Threebear Soil Profile

Surface layer: yellowish brown silt loam

Subsoil - upper: light yellowish brown silt loam

Subsoil - middle: very pale brown silt loam

Subsoil - lower: a very firm and brittle fragipan of yellowish brown silt loam

The Threebear series consists of moderately well drained soils formed in silty sediments with a thick mantle of volcanic ash. These soils are moderately deep to a fragipan. The name "Threebear" is derived from a creek in Latah County, Idaho. These soils are on hills with slopes of 5 to 35 percent.

Threebear soils are used mainly for timber production and wildlife habitat. The potential natural vegetation is western redcedar, grand fir, Douglas fir, western larch, and western white pine. The average annual precipitation is about 36 inches, and the average annual temperature is about 42 degrees F.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, gender, religion, age, disability, political beliefs, sexual orientation, and marital or family status. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at 202-720-2600 (voice and TDD). To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326W, Whitten Building, 14th and Independence Avenue, SW, Washington, DC 20250-9410 or call 202-720-5964 (voice or TDD). *USDA is an equal opportunity provider and employer.*

USDA NRCS
Natural Resources Conservation Service